

Index

A

- Accepting the Defined Design (2-15, 8-11)
- Adding Qualitative Factors (2-6)
- Adding Quantitative Factors (2-4)
- Adding Responses (2-8)
- Adjusted Squared Multiple R (5-10)
- Advanced button (5-21)
- Alias Pattern (2-16)
 - Viewing the Alias Pattern (2-16)
- Alpha values (2-15)
- Analysis of Means (1-7, 5-4 to 5-6, 8-14)
 - Analysis of Means Screen (5-5)
 - Factors (5-7)
 - Response (5-7)
 - Selecting Factors/Responses (5-6)
 - Terminology (5-6)
- Analysis of Variance (1-7, 5-4, 5-8 to 5-10, 8-17)
 - Factors (5-14)
 - Response (5-15)
 - Selecting Factors/Responses (5-6, 5-14, 5-16)
 - Analysis of Variance Screen (5-8)
 - Terminology (5-10)
- ASCII File (4-3, 4-5 to 4-7, 4-9)
 - Importing (4-5)
- Avg (5-6, 6-5, 6-18)
- Avg + (5-6)
- Avg - (5-6)
- Axis Color (6-10, 6-17, 6-22, 6-28, 6-35, 6-41)

B

- Background Color (6-10, 6-17, 6-22, 6-28, 6-35, 6-41)
- Base Runs (2-14, 8-10)
- Box-Behnken Design (2-14)

C

- Center Points (2-5, 2-14)
 - alpha values (2-15)
 - Default Values (2-15)
 - Selecting the Number of Center Points (2-16)
- Central Composite (2-14)
- Coefficient (5-11)
- Color (6-10, 6-17, 6-22, 6-28, 6-31, 6-33, 6-39, 6-45, 6-49)

Contour Plot (1-7, 6-2, 6-4, 6-29-32, 6-35 to 6-38, 8-30)

Definition (6-29)

Editing Responses (6-32)

Editing the Title (6-31)

Editing the X axis (6-32)

Editing the X Axis Factor (6-31)

Editing the Y Axis (6-33)

Editing the Y Axis Factor (6-32)

Editing the Z Axis (6-34)

General Editing Information (6-31)

Line Style (6-34)

Prediction Equation (6-36)

Screen (6-30)

Viewing Model for Points (6-37)

Control factors (2-2 to 2-4, 2-6)

Copy (1-11, 3-3, 4-3, 4-9, 4-10, 5-3, 5-27, 6-3)

Copy Regression Results (5-3)

Create Your Own Design (2-3)

D

Data (1-3, 1-7, 1-10, 2-9, 2-13, 3-2, 4-1, 5-3, 5-10, 5-25, 6-12, 6-17, 6-43, 8-12)

Copy (4-3)

Edit Menu Commands (4-3)

Entering Replicate Data (4-10)

Entry (4-4)

Exporting Data (4-10)

File Menu Commands (4-1)

Font (4-3)

Help Menu Commands (4-4)

Import Menu Commands (4-3)

Importing Data Files (4-5)

Importing from Excel or other Spreadsheets (4-9)

Opening the Data Definition Window (4-1)

Preference Menu Commands (4-3)

Print (4-2)

Properties (4-2)

Replicates as Columns (4-3)

Replicates as Rows (4-4)

Save (4-2)

Trailing Zero (4-4)

View Menu Commands (4-3)

Data Definition Window (4-1)

Deleting Factors (2-7)

Deleting Responses (2-12)

Delta (5-6, 6-5, 6-8)

Delta/2 (5-6, 6-5, 6-8)

Dependent Variable (5-10)

- Design Definition (2-1, 2-3, 3-2, 5-22, 7-1, 7-2, 7-6, 7-8, 8-9, 8-11)
 - Accepting the Defined Design (2-16)
 - Design Definition Dialog Box (2-1)
 - Modifying an Accepted Design (2-16)
- Design Type (2-2, 2-3, 2-13, 2-14)
 - Box-Behnken Design (2-14)
 - Central Composite (2-14)
 - Fractional Factorial (2-14)
 - Full Factorial Design (2-13)
 - Plackett-Burman (2-14)
 - Resolution III Design (2-14)
 - Resolution IV Design (2-14)
 - Resolution V Design (2-14)
 - Taguchi Designs (2-14)
- Desirability Functions (2-10, 2-11)
 - Decreasing (2-10)
 - Increasing (2-10)
 - Tent (2-10)
- DF (5-12)
- D-optimal (1-2, 2-3, 6-11, 6-23, 6-28, 7-1)
 - Exclusions (7-6)
 - inclusions (7-4)
 - interactions (7-3)
 - linear model (7-3)
 - number of runs (7-4)
 - quadratic models (7-3)
- Design (1-2, 1-3, 1-6, 2-1, 2-13, 7-1)

E

- Ease of Adjustment (2-7)
- Edit Locations (1-7, 5-2, 6-4)
- Exclusions (7-6)
 - Formula (7-7)
- Exit (1-8, 3-3, 4-3, 5-3, 6-3, 8-12, 8-13)
- Exporting
 - Data (4-10)
- External Documents Folder (1-11)
- Extrapolate (6-33)

F

- Factor Display (6-9, 6-10, 6-16, 6-21, 6-27, 6-46, 6-51)
 - Editing (6-9)
- Factors (2-4, 5-5, 5-14, 5-16, 5-17, 6-7, 7-2)
 - Adding Qualitative Factors (2-6)
 - Adding Quantitative Factors (2-4)
 - Control factors (2-4, 2-6)
 - Ease of Adjustment (2-6, 2-7)
 - High Level (2-5)
 - Information (2-7)
 - Levels (2-7)
 - Low Level (2-5)
 - Noise factors (2-4, 2-6)
 - Precision (2-5)
 - Qualitative (2-6)
 - Quantitative (2-4)
 - Types of Factors (2-4)
 - Units (2-7)
- File Menu (1-4)
 - 1,2,3,4 command (1-7)
 - Exit command (1-8)
 - File Open dialog box (1-4)
 - File Properties (1-5)
 - File Save As dialog box (1-5)
 - File Save dialog box (1-5)
- File Properties (1-5)
 - Data tab (1-7)
 - General tab (1-6)
 - Graphs tab (1-7)
 - Message log tab (1-6)
 - Project tab (1-5)
 - Statistics tab (1-7)
 - Worksheet tab (1-6)
- Fill Color (6-10, 6-16, 6-22, 6-28, 6-47, 6-51)
- Fill Style (6-10, 6-16, 6-22, 6-28, 6-47, 6-51)
- Font (1-6, 1-7, 3-3, 4-3, 6-3, 8-11)
- Fractional Factorial (2-13)
- F Ratio (5-13)
- Full Factorial Design (2-13)

G

Graph (1-2, 1-7, 1-10, 6-1 to 6-5, 8-25, 8-29 to 8-32)

Graphics (6-1 to 6-5, 6-52)

Copy (6-3)

Edit Locations (6-4)

Edit Menu Commands (6-3)

File Menu Commands (6-2)

Font (6-3)

Graph (6-3)

Help Menu Commands (6-5)

Model (6-3)

Opening the Graphics Window (6-1)

Preferences Menu Commands (6-3)

Print (6-2)

Print Setup (6-2)

Properties (6-2)

Save As (6-2)

Save (6-2)

Toolbar (6-4)

View Menu Commands (6-4)

H

Hatch (6-41, 6-42)

Help (3-4, 4-4, 5-4)

Help Menu (1-11)

Commands (5-4)

High Level (2-5)

Hitting a Target (5-19, 8-20)

Horz Rotate (6-41)

I

Import (4-3, 4-5 to 4-9)

ASCII File (4-3)

Data (4-3)

From Excel or other Spreadsheets (4-9)

Inclusions (7-4 to 7-6)

Installation (1-1)

NT (1-1)

Windows (1-1)

Interactions (1-2, 1-7, 6-24, 6-26, 7-1, 7-3)
 Definition (6-24)
 editing (6-25)
 Editing Responses (6-27)
 Editing the Factor Display (6-27)
 Editing the Title (6-26)
 Editing the X Axis (6-27)
 Editing the Y Axis (6-27)
 Factors (6-27)
 General Editing Information (6-25)
 Major Statistic (6-27)
 Screen (6-24)
Interpolate Points (6-42)

L

Larger is Better (5-8, 8-16)
Line Style (6-34)
In S (5-6, 6-8, 6-21, 6-27)
Low Level (2-5)

M

Main Effects (6-4, 6-18, 6-20 to 6-23, 8-28)
 alpha points (6-22)
 center points (6-22)
 Definition (6-18)
 Editing Factors (6-20)
 Editing Responses (6-20)
 Editing the Title (6-20)
 Editing the X Axis (6-21)
 Editing the Y Axis (6-21)
 Factor Display (6-21)
 General Editing Information (6-19)
 Major Statistic (6-21)
 Screen (6-18)
Major Statistic (6-8, 6-21, 6-27)
Maximum (2-9, 2-11, 2-12, 5-19, 5-22, 6-15, 6-33)
Mean Square (5-10, 5-13)
Minimum (2-9, 2-11, 2-12, 6-33, 6-40, 6-46, 6-51)
Minor Statistic (6-8)
Model (6-3, 6-36, 6-37, 6-42)
Modeling Designs (2-2)
Modifying an Accepted Design (2-16)
Multiple R (5-10)

N

Noise factors (2-2, 2-4, 2-6)
Nominal is Better (5-8, 8-16)
Number Runs (N) (2-14)

O

Objective (2-2, 2-3, 2-6, 2-14, 7-1)
 Selecting an Objective (2-3)
Order (2-4, 2-15, 6-5, 8-11)
 Random (2-15)
 Selecting the Order (2-15)
 Standard (2-15)

P

P (5-13,)
P (2 Tail) (5-12)
Pareto Chart (6-2, 6-4, 6-5, 6-7, 6-8, 6-10, 6-11, 8-23)
 Definition (6-5)
 Editing Information (6-6)
 Editing Responses (6-8)
 Editing the Factors (6-7)
 Editing the Factor Display (6-9)
 Editing the Title (6-7)
 Editing the X axis (6-8)
 Editing the Y axis (6-8)
 Major Statistic (6-8)
 Minor Statistic (6-8)
 Pareto Chart Screen (6-5)
Paste (4-3)
Plackett-Burman (2-14)
Precision (2-5)
Prediction Equation (5-15 to 5-19, 6-36, 6-38, 6-42, 8-18)
 Changing Factor Settings (5-18)
 Factors (5-17)
 Prediction Equation Screen (5-15)
 Response (5-17)
 Selecting Factors and Responses (5-16)
Print (1-7, 6-2, 6-4, 6-52)
Print Setup (3-2, 6-2)
Project Tree (1-8)
Project Window (1-2, 1-5, 1-9)
 File Menu (1-4)
 Help Menu (1-10)
 View Menu (1-8)
Properties (1-5, 6-1, 6-2, 6-52)

Q

Qualitative Factors (2-6, 6-11, 6-17, 6-23, 6-28, 7-1)
Quantitative Factors (2-4, 8-4)

R

Random (2-15)
Refresh Graph (3-4)
Repetition (2-10)
Replicates (1-6, 2-9)
 As Columns (3-4)
 As Rows (3-4)
Replication (2-10)
Report Variables (5-3, 5-6, 5-7, 5-14)
Residual (1-7, 5-3, 6-43, 6-44, 6-46, 6-47, 6-49 to 6-52)
Resolution (2-14)
Resolution III Design (2-14)
Resolution IV Design (2-14)
Resolution V Design (2-14)
Responses (2-8 to 2-10, 2-13)
 Adding Responses (2-8)
 Deleting Responses (2-13)
 Information (2-13)
 maximum (2-12)
 minimum (2-12)
 Replicates (2-9)
 Units (2-9)
Response Surface (6-2 to 6-4, 6-38 to 6-42)
 Definition (6-38)
 Editing the Title (6-39)
 Editing the Z Axis (6-41)
 General Editing Information (6-39)
 Hatch (6-41)
 Horz Rotate (6-41)
 Interpolate Points (6-42)
 Prediction Equation (6-42)
 Screen (6-38)
 Vert Rotate (6-41)
Robust™ Designs (2-2)

S

- S (5-6)
- Save (1-5)
- Save As (1-5)
- Scatter Plot (6-2, 6-4, 6-5, 6-12, 6-47)
 - Definition (6-12)
 - Editing Factors (6-14)
 - Editing Responses (6-14)
 - Editing the Factor Display (6-16)
 - Editing the Title (6-14)
 - Editing the X axis (6-15)
 - Editing the Y axis (6-15)
- Screening Designs (2-2)
- Signal-to-noise (5-7)
- Significant Terms (5-14, 5-15, 8-18)
- Smaller is better (5-8)
- Source (5-12)
- Squared Multiple R (5-10)
- Standard Error of Estimate (5-10)
- Statapult (8-1)
 - Data Definition Window (8-12)
 - Defining the Response (8-8)
 - Design Definition Dialog Box (8-3)
 - Generating a Worksheet (8-11)
 - Graphics (8-23)
 - Project Window (8-1)
 - Statistics (8-14)
- Statistics (5-1, 5-7, 5-27, 8-14)
 - Copy (5-3)
 - Copy Regression Results (5-3)
 - Edit Menu Commands (5-3)
 - Exit (5-3)
 - Exporting (5-24)
 - File Menu Commands (5-2)
 - Font (5-4)
 - Help Menu Commands (5-4)
 - Opening the Statistics Window (5-1)
 - Preferences Menu Commands (5-3)
 - Print (5-2)
 - Print Setup (5-2)
 - Report Variables (5-3)
 - Save (5-2)
 - Save As (5-2)
 - View Menu Commands (5-4)
- Statistics Window
 - Opening the Statistics Window (5-1)
- Status Bar (1-10, 3-4, 4-3)
- Std Error (5-11)
- Step (6-9, 6-16, 6-21, 6-27, 6-33, 6-34, 6-40, 6-41, 6-46, 6-51)
- Studentized Residuals (6-44)
- Sum of Squares (5-12, 5-13)

T

T (5-12)

Taguchi (2-13, 5-7, 6-8, 6-21, 6-27, 8-10, 8-11, 8-16)

Taguchi Designs (2-13)

Taguchi Signal-To-Noise Statistics (5-7)

 Larger is Better (5-8)

 Nominal is Better (5-8)

 Smaller is better (5-8)

Target (5-3, 5-4, 5-19, 5-23)

 Advanced button (5-21)

Title (6-7, 6-14, 6-20, 6-26, 6-31, 6-39, 6-45, 6-49)

 editing (6-14, 6-20, 6-26, 6-31, 6-39, 6-45, 6-49)

Tolerance (1-2, 1-6, 5-11, 7-8)

Toolbar (1-3, 1-9, 3-4)

Total Runs (8-10)

Trailing Zero (4-2)

Transfer Option (4-10)

U

Units (2-5, 2-7, 2-9, 5-11, 5-12)

V

Variable (5-10)

Vert Rotate (6-41)

View Menu (1-8, 1-10)

W

Wizard (1-2, 1-8, 2-1)

Worksheet (1-3, 1-6, 1-10, 3-1)

 Creating a Worksheet (3-1)

 Edit Menu Commands (3-3)

 File Menu Commands (3-2)

 Help Menu Commands (3-4)

 Preferences Menu Commands (3-3)

 Printing (3-2)

 Properties (3-2)

 View Menu Commands (3-4)

 Worksheet Window (3-1, 3-3)

X

X axis (6-8, 6-15, 6-21, 6-27, 6-31, 6-40, 6-46, 6-50)

Y

Y axis (6-8, 6-9, 6-15, 6-16, 6-21, 6-27, 6-33, 6-40, 6-46, 6-51)

Z

Z Axis (6-34, 6-41)